



## Specification Sheet - Revised 10/01/2009

page 1 of 2

<b>PRODUCT:</b> New-Gar® deodorized 8000 Allicin granulated garlic	<b>Technical Administrator:</b> Yang Xian
<b>PRODUCT CODE No.:</b> NG8000G	<b>Yang Xian</b>
<b>PLANT SPECIES:</b> <i>Allium Sativum</i>	
<b>Part used:</b> Bulb	<b>Complies with all current USP/NF</b>
<b>SOURCE/partner:</b> Harmoni Zhengzhou International, Henan, China	<b>HARVEST TIME:</b> Sept/Oct

Item	Specification	Method of Analysis
<b>Appearance:</b>	White to light tan granules	Visual
<b>Identity :</b>	spectrum must match garlic granules IR reference	Botanical ID, chain of custody, Organoleptic, FT-IR
<b><u>Active Ingredients</u></b>	<b><u>Specification</u></b>	<b><u>Method of Analysis</u></b>
Allicin potential	Min. 8,000 ppm	C-18 HPLC
Alliin	Min 18,000 ppm	C-18 HPLC
Total Thiosulfinates	Min 8,000 ppm	C-18 HPLC
Gamma-Glutamylcysteines	Min 6,400 ppm	C-18 HPLC
Total Sulfur	VARIES	AOAC 990.28
<b><u>Pesticide Evaluation</u></b>		
<b>Organophosphorus Insecticides</b>		GC-MS, USP31, NF26
Diechlorvos	ND	
Fonofos	“	
Diazanon		
Parathion-methyl		
Chlorpyrifos-mythyl	“	
Pirimiphos-mythyl		
Malathion		
Parathion		
Chlorpyrifos	«	
Methidathion		
Ethion		
Carbophenothion		
Azinphos-methyl		
Phosalone		
<b>Organochlorine &amp; Pyrethroid Insecticides</b>	ND	GC-MS, USP31, NF26
<i>alfar</i> -Hexachlorocyclohexane	“	
Hexachlorobenzene		
<i>bata</i> -Hexachlorocyclohexane		
Lindane		
<i>gamma</i> -Hexachlorocyclohexan		
Heptachlor		
Aldrin		
Heptachlor epoxide	ND	

**Specification sheet**

**PRODUCT: Deodorized New-Gar @8000 ppm allicin granulated Garlic (NG8000G)**

<b>Item</b>	<b>Specification</b>	<b>Method of Analysis</b>
<u>Pesticide Evaluation</u>	<u>Specification</u>	<u>Method of Analysis</u>
<i>o' p'</i> -DDE	ND	GC_USP31NF26
alfar-Endosulfan		
Dieldrin		
<i>p' p'</i> -DDE		
Endrin		
Endosulfan		
<i>o' p'</i> -DDT		
Carbophenothion		
Organochlorine & Pyrethroid	“	
Insecticides		
<i>p' p'</i> -DDT		
Permethrin		
<i>Trans</i> -Permethrin		
Cypermethrin		
Fenvalerate		
Deltamathrin		
<u>Heavy metals</u>	<5mg/kg	USP method 231
Arsenic	<0.50mg/kg	
Cadmium	<0.50mg/kg	
Copper	<0.50mg/kg	
Lead	<0.50mg/kg	
Mercury	<0.50mg/kg	
Zinc	<0.50mg/kg	
<u>Bulk Density</u>	0.6-0.72 g/ml or cc	
<u>Moisture</u>	7.0% max (although we aim for <6% )	A.D.O.G.A.
<u>Granulation</u>		
%on US #20	Trace	A.D.O.G.A.
% on US #60	40%min-85% max	A.D.O.G.A.
% thru US #100	5% min-25%max	A.D.O.G.A.
<u>Microbiological</u>		
Total plate Count	<100,000 cfu/g (Same as USP method)	AOAC 966.23
Yeast and Mold	<1000 /g	FDA-BAM 7 <sup>th</sup> ed.
Coliforms	<40 /g	AOAC 966.23
E.Coli	negative	AOAC 966.23
Pseudomonas	negative	AOAC /BAM
Salmonella	negative	AOAC /BAM
Staph Aureus	negative	AOAC /BAM

**Actives Testing :** Each batch is tested for Allicin potential, \*all other actives results are by input  
**Ingredients:** 100% garlic, no chemicals or additives, ETO Treatment, & No Irradiation.

**pesticides & H/M are tested at US labs twice/yr : early & late crop**

**Storage Conditions & shelf life:**

Store in a cool, dry place, do not freeze. Garlic has a 2 yr shelf life in proper storage (15-25°)